

Fig. 1G






Fig. 1H






Fig. 1M




Fig. 1N





Fig. 1P









Fig. 2B




100
Fig. 3




400
Fig. 5





500
Fig. 6





600
Fig. 7



700
Fig. 8A



700
Fig. 8B




```

graph TD
    Start([Start]) --> 1002[A User Or Internet Server Initiates Data Communication Between A COM Device 100, An In-Vehicle Device 200, An Internet Based Server, Or An Internet Appliance]
    1002 --> 1004[User Selects Function(s), or Feature(s) Associated With The In-Vehicle Device 200 And Or Function(s) Or Feature(s) Accessible By Way Of An In-Vehicle Device 200]
    1004 --> 1006[In-Vehicle Device 200 Performs Or Activates The Selected Function(s) Or Feature(s)]
    1006 --> 1008[Confirmation Of Executed Command And Control Function(s) Or Feature(s) (i.e. Success And Failure) Is Data Communicated Between COM Device 100, In-Vehicle Device 200, An Internet Based Server, Or Internet Appliance]
    1008 --> 1010[Based In Part On Agency Or User Preference Settings Notification Can Be Saved In A Database And Or Data Communicated To A Second Server, The Police, User, or An Appropriate Agency]
    1010 --> 1012[Optionally Data Communication Between A COM Device 100, An In-Vehicle Device 200, An Internet Based Server, Or An Internet Appliance Can Be Suspended Or Terminated]
    1012 --> Exit([Exit])
  
```


1000

Fig. 11


1000
Fig. 11




1100
Fig. 12





1300
Fig. 14




1400
Fig. 15A








1600
Fig. 17




1700
Fig. 18



1800
Fig. 19

Fig. 20
1900



2000
Fig. 21

```
graph TD; Start([Start]) --> 2102[In-Vehicle Device 200 Reports Current GPS Positioning And Executes Desired Command And Control Functionality]; 2102 --> 2104[Data Communication Between A COM Device 100, An In-Vehicle Device 200, An Internet Based Server, Or An Internet Appliance Is Initiated]; 2104 --> 2106[Modify Vehicle Database As Required]; 2106 --> 2108[Determine Return Data And Data Communicate Return Data As Required]; 2108 --> 2110[Optionally Data Communication Between A COM Device 100, An In-Vehicle Device 200, An Internet Based Server, Or An Internet Appliance Can Be Suspended Or Terminated]; 2110 --> Exit([Exit]);
```

2100
Fig. 22